

# INDEX MAPS.

## T. 30 N. R. 4 W. 2<sup>nd</sup> Mer.

	269	269	268	268	268	267						
271	6	289	5	285	4	282	3	278	2	275	1	267
	289	289	285	281	278	275						
271	7	289	8	284	9	281	10	278	11	274	12	267
	288	288	284	281	278	274						
271	18	288	17	284	16	281	15	277	14	274	13	266
	287	287	283	280	277	273						
270	19	287	20	283	21	280	22	277	23	273	24	266
	286	286	283	280	276	273						
270	30	286	29	283	28	279	27	276	26	272	25	266
	285	285	282	279	276	272						
270	31	285	32	282	33	279	34	275	35	272	36	265
	265	265	265	264	264	264						

## T. 31 N. R. 4 W. 2<sup>nd</sup> Mer.

	297		297		297		297		296		296	
300	6	326	5	318	4	314	3	309	2	304	1	296
	325		325		318		313		309		304	
299	7	325	8	317	9	313	10	308	11	303	12	295
	324		324		317		312		308		303	
299	18	323	17	316	16	312	15	308	14	302	13	295
	323		322		316		312		307		302	
299	19	322	20	316	21	311	22	307	23	302	24	295
	321		321		315		311		306		301	
298	30	320	29	315	28	310	27	306	26	301	25	294
	320		319		314		310		305		300	
298	31	319	32	314	33	309	34	305	35	300	36	294

The figures on the lines refer to the page.

Township 31 North Range 4 West. 2<sup>nd</sup> Mer. Ind.<sup>4</sup>C.L. South Boundary.  
(Var. 5° 25' E.)

West On the S. side of sec. 36  
 5.00 Enter a wet prairie  
 33.00 Leave the " Do.  
 40.00 Set the q. res. cor. post from which  
     a W. Oak 12 in. dia. bears N 59° W 23 1/4 m,  
     & a Do. 16 " " " N 39° E 66 "  
 70.02 To a W. Oak 18 " " in the line,  
 80.00 Set a post cor. to sec. 35 & 36  
     a Br. Oak 10 in. dia. bears N 21° E 22 1/4 m,  
     & a Do. 9 " " " N 87 1/2° W 144 "  
 Land level & 2<sup>nd</sup> rate & the timber is  
 Y. W & Br Oak &c

West On the S. side of sec. 35  
 34.57 To a Y. Oak 10 in. dia. in the line,  
 40.00 Set the Dr. res. cor. post from which  
     a Y. Oak 18 in. dia. bears N 31° E 38 1/4 m, m,  
     & a Do. 8 " " " N 76° W 44 " "  
 45.00 Enter a Dry prairie  
 80.00 Set a post cor. to sec. 34 & 35 from which  
     a Br. Oak 10 in. dia. bears N 78° W 47 1/4 m,  
     & a Y. Oak 8 " " " N 89 1/2° E 638 "  
 Land gently rolling soil good & the  
 timber is W. Br & Br. Oak &c

West On the S. side of sec. 34  
 21.00 Leave the dry prairie  
 22.42 To a W. Oak 10 in. dia. in the line  
 40.00 Set the Dr. res. cor. post from which  
     a W. Oak 9 in. dia. bears N 83° W 21 m,  
     & a Do. 10 " " " S 2° E 13 " dist.  
 57.94 To a W. Oak 12 in. dia. in the line



T. 31 N. R. 4 W. 2<sup>nd</sup>, Mer. Ind.

6. L, 80.00	Set a post cor. to sec. 33 & 34 from which a W. Oak 12 in. dia., bears N 57 $\frac{1}{2}$ W 50 Mo. dist, & a Y. Oak 14 " " " N 88 W 160 " " Land &c. is same as on last mile,
West 10.00 40.00 50.00 57.00 58.00 80.00	On the S. side of sec. 33, Enter a wet prairie Set the gr. sur. cor. post from which a Y. Oak 12 in. dia., bears N 85 $\frac{1}{2}$ W 13.04 Mo. dist, no other near Leave the wet prairie To a Y. Oak 10 in. dia. in the line Enter a wet prairie Set a post cor. to sec. 32 & 33 from which a Y. Oak 9 in. dia., bears N 81 $\frac{1}{2}$ E 14.67 Mo. dist, no other tree convenient Land flat & poor & the timber is Oak
West 33.00 40.00 48.96 80.00	On the S. side of sec. 32 Leave wet prairie - Set the Dr. sur. cor. post from which a W. Oak 14 in. dia., bears N 32 W 43 Mo. dist, & a Do. 12 " " " N 62 E 53 " " To a W. Oak 9 " " in the line, Set a post cor. to sec. 31 & 32 from wh., a Y. Oak 10 in. dia., bears N 80 E 43.8 Mo., & a W. Oak 18 " " " N 2 W 419 " dist, Land gently rolling soil good & the timber is W & Y. Oak &c
West 40.00 55.50	On the S. side of sec. 31 Set a post for 4 <sup>th</sup> sur. cor. from which a Y. Oak 20 in. dia., bears N 37 W 101 Mo., & a Do. 17 " " " N 39 $\frac{1}{2}$ E 185 " dist, To a Road corner N, & S,

T. 31 N. R. 4 W. 2<sup>nd</sup>. New, Inda.

6.21  
59.28 To a W. Oak 18 in. dia. in the line,  
81.96 To the W. boundary, 35 M. ch. of tumpy. post  
Set post cor. to T. 30 & 31 ch. R. 4 & 5 W.  
a W. Oak 24 in. dia. bears at 275 43 M.  
To W. Oak 10 " " " S 57° W 266 " in  
Land &c is same as on last mile -  
(Var. 5° 25' E.) - December 20<sup>th</sup> 1833.

Surveyed by  
Sylvester Sibley, Dep. Sur.

## East Boundary.

(Var. 5° 30' E.)

North On the E. side of sec. 36  
34.46 To a Y. Oak 12 in. dia. in the line,  
40.00 Set the gr. sur. cor. post from which  
a Y. Oak 18 in. dia. bears N 65° W 53 M. dia.  
To a W. Oak 6 " " " N 44° W 16 " "  
68.61 To a Y. Oak 14 " " in the line,  
80.00 Set a post cor. to sec. 25 & 36  
a Y. Oak 8 in. dia. bears N 15° W 183 M.  
To a Y. 10 " " " N 12° W 210 " in  
Land level & 2<sup>nd</sup> rate & the timber is  
Y & W. Oak &c

North On the E. side of sec. 25  
40.00 Set the gr. sur. cor. post from which  
a W. Oak 15 in. dia. bears S 63° W 118 M.  
To a Y. Oak 8 " " " S 25° W 150 "  
71.18 To a Y. Oak 10 " " in the line,  
80.00 Set a post cor. to sec. 24 & 25 from which  
a W. Oak 6 in. dia. bears S 4° W 237 M. dia.  
To a Y. Oak 10 " " " S 9° E 220 " "  
Land &c is same as on last mile

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6.00 North	On the E. side of sec. 24
22.00	Enter a wet prairie
40.00	Set the Dr. sec. cor. post from which a G. Oak 10 in. dia. bears S 83° W 518 lbs, & no other
80.00	Set a post cor. to sec. 13 & 24 from wh. a W. Oak 12 in. dia. bears N 7° W 455 lbs, no other.
	Land rather flat & poor timber. Oak.
6.00 North	On the E. side of sec. 13,
11.27	Leave the wet prairie
20.00	To a G. Oak 10 in. dia. in the line,
40.00	Enter a marsh
65.00	Set the Dr. sec. cor. post from which a Gum 8 in. dia. bears South 1286 lbs, & no other
80.00	Leave the marsh
	Set a post cor. to sec. 12 & 13 from wh. a G. Oak 20 in. dia. bears S 80° W 66 lbs. dia. & a Do. 19 " " " N 49° W 71 " "
	Land &c is much the same as last mile
18.88 North	On the E. side of sec. 12
21.00	To a W. Oak 12 in. dia. in the line,
40.00	Enter a marsh
	Set the gr. sec. cor. post from which a G. Oak 18 in. dia. bears S 5° W 577 lbs, no other
80.00	Set a post cor. to sec. 1 & 12 from which an Aspen 6 in. dia. bears N 62° W 715 lbs, & no other
	Land mostly wet prairie soil poor timber. Oak

296

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. a

C. S. North	On the E. side of sec. 1.
40.00	Set a gr. sec. cor. post from which
	a W. Oak 20 in. dia. bears S 67° W 383 M.
	a Do. 10 " " " S 83° W 487.
75.00	Leave the wet prairie
80.00	Set a temporary town corner,
	Land &c. is same as on last mile
	Dec. 26 <sup>th</sup> 1833. (Var. 5° 30' E.)
	Took an observation of the poll star at this corner
	& found the Var. to be as above. true: 5° 30' E. —
	Surveyed by Sylvester Sibley Sep. 20,

North Boundary.

Var. 5° 30' E. —

West	On the S. side of sec. 36. T 32 N. R. 4 W.
12.00	Entered a wet prairie
32.00	Leave the same
40.00	Set the 2 <sup>d</sup> sec. cor. post from which
	a W. Oak 24 in. dia. bears N 15° E 159 M.
	a Y. Oak 20 " " " N 51° W 175 "
69.43	a W. Oak 12 " " in the line
80.00	Set a post cor. to sec. 35 & 36
	a W. Oak 10 in. dia. bears N 44° W 211 M.
	a Do. 10 " " " N 19° E 225 "
	Land level & sec. rate & the timber is Oak,

West	On the S. side of sec. 35 T 32 N. R. 4 W.
31. 11	To a W. Oak 10 in. dia. in the line,
40.00	Set the gr. sec. cor. post from which
	a W. Oak 20 in. dia. bears N 65° E 173 M. 7/8
	a Do. 9 " " " S 23° W 90 " "
76.00	Entered a wet prairie
80.00	Set a post cor. to sec. 34 & 35 from oh,
	a W. Oak 12 in. dia. bears S 87½° W 4 Ch. 7/8



T 31 N. R. 4 W. 3<sup>rd</sup> Mer. Ind<sup>a</sup>

C. & no other tree given. Land &c. same,

West On the S. side of sec. 34. T 32 N. R. 4 W.  
 22.00 Leave the wet prairie  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears N 88 E 470 ft.,  
 & a Y. Oak 6 " " " N 29 W 117 " dist.  
 68.71 To a Y. Oak 10 " " in the line,  
 80.00 Set a post cor. to sec. 33 & 34 -  
 a W. Oak 10 in. dia. bears N 11 E 43 ft.,  
 Do. 14 " " " N 57 E 25 "  
 Land &c. is same as on last mile,

West On the S. side of sec. 33. T 32 N. R. 4 W.  
 13.71 To a W. Oak 10 in. dia. in the line,  
 40.00 Set a gr. sec. cor. post from wh.  
 a W. Oak 12 in. dia. bears N 11 E 149 ft.,  
 & a Do. 12 " " " N 23 E 161 "  
 45.00 Enter a wet prairie  
 80.00 Set a post cor. to sec. 32 & 33 -  
 a W. Oak 20 in. dia. bears N 40 E 105 ft.,  
 & no other near,  
 Land rather flat & poor & the timber  
 is thin of Oak,

West On the S. side of sec. 32. T 32 N. R. 4 W.  
 40.00 Set the gr. sec. cor. post in water  
 too deep to raise a mound  
 80.00 Set a post cor. to sec. 31 & 32 from wh.  
 a Y. Oak 8 in. dia. bears S 78 W 133 ft. dist.  
 & a Do. 16 " " " N 83 W 160 " "  
 Land all wet prairie,

West On the S. side of sec. 31 T 32 N. R. 4 W.



T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. a

61.00	Leave the wet prairie
29.79	To a Y. Oak 12 in. dia. in the line,
40.00	Set the Dr. sur. cor. post from which a Y. Oak 8 in. dia. bears N 30 E 143 <sup>1</sup> / <sub>2</sub> lbs. dist. + a Do. 14 " " " N 59 W 113 " "
67.00	Entered a wet prairie
82.28	To the W. boundary, 225 lbs. South of tempy. town corner, & set post cor. Town, 31. & 32 <sup>nd</sup> Ranges, 4 & 5 W. from which a Y. Oak 8 in. dia. bears S 16 E 114 lbs. dist. & a Do. 7 " " " N 56 E 330 " " Land sold at 2 <sup>nd</sup> rate & the timber is Y. & W. Oak. Dec. 27 <sup>th</sup> 1833. (Var. 5° 30' E.) Surveyed by. Sylvester Sibley. Dep. Sur.

## West Boundary (Var. 5° 30' E.)

North	On the E. side of sec. 36 & 31 NW 5 W
35.31	To a W. Oak 20 in. dia. in the line,
40.00	Set a gr. sur. cor. post from which a Y. Oak 9 in. dia. bears N 9 W 137 <sup>1</sup> / <sub>2</sub> lbs. + a Do. 10 " " " N 20 E 90 lbs. dist.
50.00	Entered a dry prairie
69.00	Leave the same
80.00	Set a post cor. to sec. 25 & 36 a W. Oak 12 in. dia. bears N 59 W 95 lbs. dist. + a Y. Oak 20 " " " S 84 W 334 " " Land gently rolling & 1 <sup>st</sup> rate & the timber is W. & Y. Oak &c

North	On the E. side of sec. 25 & 31 NW 5 W,
34.50	Entered a wet prairie
40.00	Set a gr. sur. cor. post from which a Y. Oak 20 in. dia. bears S 3 <sup>1</sup> / <sub>2</sub> W 908 lbs.

T. 31 N. R. 4 W. 2<sup>nd</sup>, Mon. Ind. a

66.00	No other tree near or convenient
79.00	Leave the wet prairie
80.00	Set a post cor. to Secs. 24 & 25 from wh, a G. Oak 18 in. dia. bears N 65° W 13 1/2 Mi. dist & a Do. 18 " " " S 39° E 21 " "
	Land level & poor & the timber thin & Oak,
North	On the E. side of Sec. 24 T. 31 N. R. 5 W
40.00	Set the gr. sec. cor. post from which a G. Oak 8 in. dia. bears S 46° W 73 1/2 Mi. dist, & a W. Oak 10 " " " S 58° W 130 " "
80.00	Set a post cor. to Secs. 13 & 24 from wh, a G. Oak 20 in. dia. bears S 75° W 306 Mi. dist, & a Do. 18 " " " N 5 1/2° W 498 " "
	Land level & 2 <sup>nd</sup> rate & the timber is W & 2 Oak,
North	On the East side of Sec. 13 T. 31 N. R. 5 W
40.00	Set the gr. sec. cor. post from which a G. Oak 8 in. dia. bears N 9 1/2° W 235 Mi. dist, & a W. Oak 10 " " " N 1 1/2° W 385 " "
80.00	Set a post cor. to Secs. 12 & 13 from which a W. Oak 12 in. dia. bears N 39° W 71 Mi. dist, & a Do. 12 " " " S 34° W 132 " "
	Land is same as on last mile,
North	On the E. side of Sec. 12 T. 31 N. R. 5 W
2.00	Enter a wet prairie
27.00	Is a Road cor. NW. & SE,
38.00	Leave the wet prairie
40.00	Set the gr. sec. cor. post from which a G. Oak 12 in. dia. bears S 66° W 55 Mi. dist, & a Do. 14 " " " N 35° W 61 " "
43.00	Enter a wet prairie
80.00	Set a post corner to Secs. 1 & 12

T. 31 N. R. 4 W. 2<sup>nd</sup>, New Ind.

C. L. a W. Oak 20 in. dia. bears N 10 W 146 ths.  
 & no other near  
 Land is mostly wet prairie soil poor,  
 & the timber is Oak &c

North On the E. side of Sec. 1 T 31 N. R. 5 W  
 1.00 Leave the wet prairie  
 13.13 To a B. Oak 18 in. dia. in the line,  
 36.00 Enter a wet prairie  
 40.00 Set the 2<sup>d</sup>. sup. cor. post from which  
 a W. Oak 10 in. dia. bears S 12 W 365 ths,  
 & no other near,  
 44.00 Leave the wet prairie  
 68.00 Enter a " Do.  
 80.00 Set a temporary town corner,  
 Land much the same as on last mile  
 December 28<sup>th</sup> 1833. (Var. 5. 38' E.)  
 Surveyed by - Sylvester Sibley, D. S.

## Subdivisions.

North Between sections 35 & 36  
 40.00 Set the 2<sup>d</sup>. sup. cor. post from which  
 a W. Oak 18 in. dia. bears S 64 W 303 ths,  
 & a Do. 30 " " " S 56 W 304 "  
 76.19 To a B. Oak 10 " " in the line,  
 80.00 Set a post on its run. 25. 26. 35 & 36,  
 a B. Oak 12 in. dia. bears N 10 W 138 ths,  
 & a Do. 8 " " " S 21 E 158 "  
 Land level open bearing & soil rate  
 & the timber is W. & B. Oak &c

East On Random between sec 26 & 35  
 52.00 Enter a wet prairie  
 75.00 Enter open bearing

T. 31 N. R. 4 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>C. L.  
80.98

To the E. line of sec. at post  
Land in bearing open level separated the  
timber is W & B Oak. & Prairie with a 2<sup>nd</sup>?  
rate & high red top grass.

West  
40.49

Correct the line between Sec. 25 & 26  
Set the q. sec. cor. post from which  
a W. Oak 20 in. dia. bears N 10.20 E 104  
To a B. Oak 8 " " " N 24 W 142 "  
To a W. Oak 12 " " in the line,  
80.98 " the section corner,

North

40.00

Between sections 25 & 26  
Set the Dr. sec. cor. post from which  
a W. Oak 12 in. dia. bears N 42 W 291 M.  
To a B. Oak 18 " " " N 46 W 344 "  
80.00 Set a post cor. to sec. 23, 24, 25 & 26  
a B. Oak 15 in. dia. bears S 9 E 49 M. dia.  
To a W. Oak 10 " " " N 73 E 104 "  
Land open level bearing separated the  
timber is W. & B. Oak, N. G. Oak & white

East  
81.00

On Random between Sec. 24 & 25  
To the E. line of Sec. 100 M. dia. of post  
Land open level bearing & third rate  
the timber is W. & B. Oak &

West  
140.00

Correct the line between Sec. 24 & 25  
To a B. Oak 12 in. dia. with the line  
29.67 " " Do. 18 " " " " "  
36.87 " " Do. 14 " " " " "  
40.50 Set the Dr. sec. cor. post from which  
a W. Oak 12 in. dia. bears N 52 E 18 M.  
To a B. Oak 8 " " " N 15 E 22 "



T. 31 N. R. 14 W. 2<sup>nd</sup> New. Ind. 302

C. L.  
81.00 To the section corner post,

North Between sections 23 & 24  
17.42 To a B. Oak 12 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 12 in. dia. bears S 36 W 130<sup>th</sup> dist,  
& a No. 10 " " S 21 W 182 " "  
53.89 To a W. Oak 8 " " in the line,  
65.00 To a marsh prairie cor. E & W,  
80.00 Set a post cor. to sec. 13, 14, 23 & 24  
where raise a mound  
Land in bearing open level & 2<sup>nd</sup> rate  
& the timber is W. & B. Oak &  
prairie is marshy & sec. rate red  
top grass & prairie & prairie cane

East On Random between sec. 13 & 24  
16.50 To the N.W. post of bearing  
21.00 a marshy prairie  
60.00 To bearing  
71.00 a marshy prairie  
81.00 To the E. line of sec 17<sup>th</sup> M. S. of post,  
Land in bearings gently rolling sandy  
soil & the timber is same as before  
prairie is marshy & 2<sup>nd</sup> rate Red top.

West Correct the line between sec. 13 & 14  
40.50 Set the gr. sec. cor. post from which  
a W. Oak 12 in. dia. bears S 25 E 298<sup>th</sup> M.  
& a B. Oak 20 " " " S 5 E 283 "  
81.00 To the section corner,

North Between sections 13 & 14  
10.00 Enter bearing



T. 31 N. R. 4 W. 2<sup>nd</sup>, New Ind.

6.51  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
 a B. Oak 6 in. dia. bears S 2 E 186 1/4 mi.,  
 & a Do. 8 " " " N 70 W 131 "  
 50.42 To a W. Oak 12 " " in the line,  
 55.00 Entered a marshy prairie  
 75.00 To barrens  
 81.00 Set a post cor. to sec. 11, 12, 13 & 14  
 a W. Oak 12 in. dia. bears S 20 E 15 1/2 mi.,  
 & a B. Oak 12 " " " S 36 W 43 "  
 Land in barrens, open level & 3<sup>rd</sup> rate  
 & the timber is W. & B. Oak prairie is  
 marshy & poor, soil is fine red top  
 grass & Bull Rushes &c

East  
 5.00 An Random between sec. 12 & 13  
 To a marsh prairie  
 60.00 Entered open barrens  
 80.87 To the E. line of sec. 200 1/2 mi. S. & 1/4 path,  
 Land in barrens, open & level sandy  
 soil & the timber is same as before  
 prairie is marshy & third rate fine  
 red top grass & Bull rushes &c

West  
 40.43 Correct the line between sec. 12 & 13  
 Set the gr. sec. cor. post in mound  
 80.87 To the section corner, Oct. 2<sup>nd</sup> 1834,

North  
 Between sections 11 & 12  
 5.08 To a B. Oak 10 in. dia. in the line  
 31.40 To a W. Oak 8 " " " " "  
 36.50 Entered marsh prairie  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from wh.  
 a B. Oak 6 in. dia. bears N 71 E 109 1/2 mi.,  
 & a Do. 6 " " " N 80 W 110 "

304

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. L.  
60.00 East 3.00 bearing  
80.00 Set a post cor. to sec. 1. 2. 11 & 12 from which  
a W. Oak 12 in. dia. bears S 33 E 228 lbs.  
& a B. Oak 20 " " " S 42 E 236 "  
Land in bearing open & gently rolling  
& third rate & the timber is W. & B. Oak  
& the prairie is marshy & 2<sup>nd</sup> rate & the  
growth is coarse grass. &

East On Randone between sections 1 & 12  
5.00 Enter bearing (Var. 7<sup>th</sup> E.)  
42.50 " a marshy prairie  
81.00 To the E. line of sec. 100 lbs. of  
post. Land in bearing open level &  
third rate & the timber is same as lab.  
& the prairie is marshy & 2<sup>nd</sup> rate &  
fine red top grass.

West Correct the line between sec. 1 & 12  
40.00 Set the Dr. sec. cor. post from which  
a W. Oak 8 in. dia. bears S 39 W 10 lbs.  
& a B. Oak 12 " " " S 31 W 20 "  
81.00 To the section corner,

North Between sections 1 & 2  
13.00 Enter bearing  
25.00 Is a wet prairie  
40.00 Set a quarter cor. post from which  
a W. Oak 18 in. dia. bears N 60 W 228 lbs.  
& a B. 20 " " " North 235 "  
44.50 To bearing  
56.00 To a W. Oak 12 " " in the line,  
64.62 " " Do. 30 " " " " "  
81.81 To the N. line of sec. 125 lbs. W. of post

T. 31 N. R. 4 W. 2<sup>nd</sup>. New. Ind.

to L.

Where set a post cor. to sec. 1 &amp; 2

a W. Oak 8 in. dia. bears S 32 E 188 ft.

+ a Do. 18 " " " S 77 1/2 W 142 "

Land in barney open level & third rate  
& the timber is W. & B. Oak, wet prairie  
& sec. rate, marsh prairie 2<sup>nd</sup> rate  
common red top grass. &

North Between sections 34 &amp; 35

26.50 To barney corner E &amp; W,

26.80 " a W. Oak 8 in. dia. in the line,

27.50 " a marsh prairie

39.50 Enter barney

40.00 Set the gr. sec. cor. post from wh.

a W. Oak 20 in. dia. bears N 89 E 42 ft.

+ a Do. 6 " " " N 41 E 33 "

73.37 To a W. Oak 12 " " in the line,

80.00 Set a post cor. to sec. 26. 27. 34 &amp; 35,

a W. Oak 18 in. dia. bears S 38 E 128 ft.

+ a Do. 12 " " " S 57 1/2 W 314 "

Land in barney open & level sandy  
soil & the timber is W. & B. Oak for  
prairie & sec. rate & dry - marsh 3<sup>rd</sup> rate  
& fine red top grass & spatter dock

East On Random between sec. 26 &amp; 35

25.50 To a marsh prairie lies mostly N,

51.00 To open level barney

80.03 To the E. line of sec. 5 &amp; 6 N. of post,

Land in barney open level & 3<sup>rd</sup> rate  
& the timber is same as before  
prairie is mainly & sec. rate,  
& growth is red top grass,

T. 31 N. R. R. 4 W. 3<sup>rd</sup>. Mon. Ind.

Co. L  
West Correct the line between sec. 26 & 35  
40.00 Set the gr. sec. cor. post from which  
no bearing raise a mound  
65.70 To a W. Oak 30 in. dia. in the line,  
80.03 " the return corner,

North Between sections 26 &amp; 27

16.00 Entered a marshy prairie  
34.00 East 100 yds. to a W. Oak grove  
40.00 Set a gr. sec. cor. post in a mound  
60.00 Entered open barrens  
66.00 To a B Oak 20 in. dia. in the line  
70.00 " small marsh prairie or old bed of lake  
73.50 " Barrens  
80.00 Set a post cor. to sec. 22, 23, 26 & 27  
a W. Oak 12 in. dia. bears N  $7\frac{1}{2}^{\circ}$  E 46 yds,  
to B Oak 10 " " " " N  $26^{\circ}$  E 6 " dia.  
Land in barrens open level 3<sup>rd</sup> rate  
& the timber is W & B Oak prairie  
is marshy, soil poor, thin sod  
grows the spatter oak & grass.

East On Random between sec. 23 &amp; 26

13.00 Entered a marshy prairie  
53.00 To open level barrens  
80.00 To the E. line of sec. 87 yds. N of post  
Land in barrens open level & 3<sup>rd</sup> rate  
& the timber is same as before the  
prairie is marshy poor soil & fine  
red top grass & tall rushes. In

West Correct the line between sec. 23 &amp; 26

40.00 Set the gr. sec. cor. in rod mound  
69.20 To a W. Oak 12 in. dia. in the line



T. 31 N. R. 4 W. 2<sup>nd</sup>. New Ind.<sup>a</sup>C. 25,  
80.00

To the section corner,

North Between sections 22 &amp; 23

6.25 To a W. Oak 12 in. dia. in the line,

12.00 Enter a marshy prairie

34.30 Enter clearing

40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
a W. Oak 20 in. dia. bears S 20 E 39. 1/4 mi.,  
+ a B. Oak 18 " " " N 17 E 47 "

50.00 To a W. Oak 20 " " in the line,

80.00 Set a post, cor. to sec. 14, 15, 22 & 23,  
a W. Oak 12 in. dia. bears N 86 W 24 1/4 mi.,  
+ a D. 10 " " " S 54 E 48 " dist,Land in clearing gently rolling sandy  
soil thirbrate W & B Oak timber, the  
prairie is marshy & 2<sup>nd</sup> rate & covered red  
top grass grown on it. Oct 3<sup>rd</sup> 1834,

East On Random between sections 14 &amp; 23

3.00 Enter a marshy prairie

20.50 Enter clearing

64.50 " a marshy prairie

80.30 To the E. line of Sec. 84. Most of  
post. Land in clearing open land  
& 3<sup>rd</sup> rate & the timber is W & B. Oak  
& the prairie is marshy & 2<sup>nd</sup> rate,  
& high red top grass,

West Correct the line between sec. 14 &amp; 23

40.15 Set the gr. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 78 E 12 1/4 mi.,  
+ a D. 20 " " " N 65 W 76 "

41.65 To a B. Oak 18 " in the line,

80.30 To the section corner,



Co. 26,  
North Between sections 14 & 15  
2.00 Entered a marsh prairie  
39.50 To open level barrens  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 10 in dia. heavy N 48 E 17<sup>th</sup> Merit  
4 a Do. 8 " " " N 24 E 23 " "  
69.00 Entered a wet prairie  
80.00 Set a post cor. to sec. 10, 11, 14 & 15  
a W. Oak 20 in dia. heavy N 8 E 38<sup>th</sup> Merit,  
4 a Do. 12 " " " N 4 E W 45 " " Int.  
Land in barrens open & level & third rate  
& the timber is same as before wet prairie  
sec. rate. & marsh prairie 3<sup>rd</sup> rate & fine  
red top grass & bull rushes, etc

East On Random between sections 11 & 14  
19.00 To open & level barrens  
38.00 Entered a marsh prairie  
75.00 To open barrens  
80.50 To the E. line of sec. 5 & 11 N. of post  
Land in barrens open & level & 3<sup>rd</sup> rate  
& the timber is W. W. Oak prairie is  
marshy sec. rate red top grass.

West Correct the line between sections 11 & 14  
40.25 Set the gr. sec. cor. post from which  
a W. Oak 10 in dia. heavy N 11 E 25<sup>th</sup> Merit,  
4 a Do. 12 " " " N 5 E W 31 " "  
80.50 To the sections corner,

North Between sections 10 & 11  
3.50 To W. point of barrens  
9.50 To a marshy prairie  
40.00 Set the 2<sup>nd</sup> sec. cor. post on road thousand

T. 31 N, R. 4 W, 3<sup>rd</sup> Mer, Ind.<sup>a</sup>

Ca L<sub>1</sub>  
80.00 Set a post cor. to sec. 2, 3, 10 & 11 from wh.  
an Affen 12 in dia, beam N 71 W 13 1/4 M.  
4 in W. Oak 12 " " " N 32 W 1 1/2 "  
Land all marshy prairie poor soil  
brown sandy loam grass & spat-dock,

East On Random between sec. 2 & 11  
18.00 Enter barnyard  
30.00 " marshy prairie  
80.43 To the E line of sec. 10 M. S. of post,  
Land in barnyard open & gently rolling  
poor sandy soil & the timber is W. P. Oak  
prairie is marshy & red top grass,

West Correct the line between sec. 2 & 11  
40.21 Set the gr. sec. cor. post in a mound  
80.43 To the section corner,

North Between sections 2 & 3,  
3.00 Enter barnyard  
4.50 To a W. Oak 20 in dia. in the line,  
26.00 Enter a marsh prairie  
40.00 Set the gr. sec. cor. post in a mound  
59.00 Pass the E. point of a W. Oak grove  
81.00 To the N. boundary, 176 M. W. of post,  
where set a post cor. to sec. 2 & 3 —  
Where raise a mound,  
Land in barnyard level & 3/4 to 4 the  
timber is W. P. Oak prairie marshy  
& sec. rats, high coarse red top grass,  
Oct. 4<sup>th</sup> 1834.

North Between sections 33 & 34  
2.00 Enter a marsh prairie

310

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Inda,

C. L. 7.00 12.77 25.10 40.00 63.97 80.00	<p>Entered open barrens</p> <p>To a B. Oak 14 in dia, in the line</p> <p>To a W. Oak 12 " " " "</p> <p>Set a pr. sec. cor. post from which a W. Oak 12 in dia, bears N 17 E 28 M, To B. Oak 20 " " " N 62 W 37 "</p> <p>To a B. Oak 12 " " in the line,</p> <p>Set a post cor. to sec. 27, 28, 33 &amp; 34, a W. Oak 12 in dia, bears S 44 E 322 M, To a Do. 10 " " " S 49 E 340 "</p> <p>Land in barrens open level sec? rate &amp; the timber is W &amp; B Oak &amp; prairie with &amp; many, 2<sup>nd</sup> rate &amp; high red top grass,</p>
--	---

East 80.30	<p>On Random between sections 27 &amp; 34</p> <p>To the E. line of sec. 50 M. N. &amp; post</p> <p>Land all barrens open level &amp; 2<sup>nd</sup> rate &amp; the timber is W &amp; B Oak &amp; c</p>
---------------	--

West 40.15 41.00 80.30	<p>Correct the line between sec. 27 &amp; 34</p> <p>Set the 2<sup>nd</sup> sec. cor. post from which a B. Oak 20 in dia, bears S 22 E 78 M, To a Do. 18 " " " S 21 W 110 "</p> <p>To a B. Oak 14 " " in the line,</p> <p>To the sections corner,</p>
---------------------------------	--

North 11.50 40.00 54.94 72.39 80.00	<p>Between sections 27 &amp; 28</p> <p>To a W. Oak 12 in dia, in the line,</p> <p>Set the 2<sup>nd</sup> sec. cor. post from which a B. Oak 6 in dia bears S 24 E 122 M. dia, To W. Oak 18 " " " S 54 W 254 " "</p> <p>To a W. Oak 8 " " in the line,</p> <p>" " B. Oak 18 " " " " "</p> <p>Set a post cor. to sec. 21, 22, 27 &amp; 28,</p>
--	--

T. 31 N. R. 4 W. 2<sup>nd</sup> New, Ind.

C. L. To a W. Oak 12 in. dia. beam at 39 E 21 N,  
 & a Do: 12 " " " S 21 W 14 " dia.  
 Land is open bearing & gently rolling  
 poor sandy soil & the timber is W  
 & B. Oak &c

East On Random between sec 22 & 24  
25.50 Is a small marshy prairie  
30.00 Entered barrens  
45.00 Entered a marshy prairie  
75.00 Entered barrens  
80.38 To the E. line of sec 60 th. N. of pub  
Land in barrens open & gently  
rolling 3<sup>rd</sup> rate & the timber is as  
before & the prairie is mostly 2<sup>nd</sup> rate  
& high coarse red top grass,

West  
420.19 Correct the line between sec. 22 & 27  
Set the gr. sec. cor. post from which  
a B Oak 18 in. dia. bears N 20 E 77 1/4 ft.,  
Lw W. Oak 14 " " " N 77 1/2 W 48 "  
43.66 1/2 a B Oak 6 " " in the line,  
80.38 1/4 the section corner,

North Between sections 21 & 22  
38.31 To a B. Oak 18 in dia. in the line,  
39.00 " a many prairie trees mostly W  
40.00 Set the 1<sup>st</sup> sec. cor. post from which  
a W. Oak 30 in dia. bears S 9 E 183 1/4 ft  
To B. Oak 8 " " S 9 W 131 " "  
74.01 Entered open & level barrens  
80.00 Set a post cor. to sec. 15, 16, 21 & 22,  
a W. Oak 18 in dia. bears S 24 E W 110 1/2 ft  
To No. 11 " " " S 81 E 191 "



T. 31 N. R. 4 W. 2<sup>nd</sup>. Nev. Ind.

312

6. Le. Land in barrens open level & third rate & the timber is W & B, Oak prairie is marshy 2<sup>nd</sup> rate high red top grass.

East On Random between sections 15 & 22

33.00 Enter a marshy prairie

75.00 Enter open barrens

80.00 To the E. line of sec. 11 th. at opp. post  
Land in barrens open level & third rate & the timber is W & B, Oak & the prairie is marshy & 2<sup>nd</sup> rate grass & water

West Correct the line between sec. 15 & 22

40.00 Set the gr. sec. cor. post in rock mound

80.00 To the section corner,

North Between sections 15 & 16

10.15 Is a B. Oak 12 in. dia. in the line,

35.74 Is a B. Oak 12 " " " " "

40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
a Gum 10 in. dia. bears N 45 41 th. dist,  
& a B. Oak 12 " " " N 12 E 40 " "

80.00 Set a post cor. to sec. 9, 10, 15 & 16 from wh.  
a W. Oak 20 in. dia. bears S 82 W 56 th.  
& a B. Oak 18 " " " N 4 E 30 " dist

Land is open level barrens 2<sup>nd</sup> rate  
& the timber is W & B Oak &c

East On Random between sec. 10 & 15

1.50 Enter a marsh prairie

20.00 Enter barrens

26.00 " a marshy prairie

36.15 " open barrens

67.00 " a marsh prairie



T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. a

C. S.

80.26 To the E. line of sec. 59 th. of post  
Land in canopy is gently rolling &  
3<sup>rd</sup> rate & the timber is W & B Oak the  
prairie is marshy & 2<sup>nd</sup> rate & fine  
red top grass

West

Correct the line between sec. 10 & 15  
Set the 2<sup>nd</sup> sec. cor. post from which  
a B. Oak 4 in. dia. bears S 24° W 38 th.,  
& a No. 3 " " " N 13° W 48 "  
80.26 To the section corner.

North

Between sections 9 & 10  
13.07 Entered a marsh prairie  
38.07 To the E. point of canopy  
39.00 " a marshy prairie  
40.00 Set the 2<sup>nd</sup> sec. cor. post from wh.  
a B. Oak 10 in. dia. bears S 31° W 170 th.,  
& a No. 8 " " " S 21° W 164 "  
80.00 Set a post cor. to sec. 3, 4, 9 & 10, from wh.  
a B. Oak 20 in. dia. bears, N 11° W 297 th.,  
& a W. Oak 20 " " " N 56° E 238 " dia.  
Land in canopy open level & 3<sup>rd</sup> rate  
& the timber is same as before,  
prairie is marshy & 2<sup>nd</sup> rate &  
coarse red top grass.

East

On Random between sec. 3 & 10  
3.07 To canopy  
80.00 " marshy prairie  
80.15 " the E. line of sec. 60 th. of post.  
Land in canopy gently rolling &  
3<sup>rd</sup> rate & the timber is W & B Oak  
prairie marshy & 2<sup>nd</sup> rate & grassy

T. 31 N. R. 4 W. 2<sup>d</sup>. New Ind.<sup>a</sup> 314

6. L.  
Marsh Connect the line between sec 34 & 10  
40.07 Set the Dr. sec. cor. post in a mound  
80.15 To the section corner, Oct 15, 1834

North Between section 34 & 4  
2.00 Entered open barrens  
25.36 To a B Oak 12 in dia. in the line  
33.50 To a W. Oak 8 " " " "  
34.00 Entered a marshy prairie  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 12 in dia. bears at 71° W 212 lbs,  
& a Dr. 10 " " " N 79° W 2109 "  
43.00 Entered open level barrens  
73.50 Entered a marshy prairie  
81.50 To the st. boundary 196 lbs. W. of post  
where set a post cor. to sec. 34 & 4  
a B. Oak 7 in dia. bears at 23° W 142 lbs,  
& a W Oak 4 " " " N 6° W 114 "  
Land in barrens open level & 3<sup>d</sup> rate  
& the timber is W. & B. Oak & the prairie  
is marshy & 2<sup>d</sup> rate & Red top grass,

North Between section 32 & 33  
40.00 Set the Dr. sec. cor. post in a mound  
77.50 Leave marsh & Ent. barrens  
80.00 Set a post cor. to sec. 28, 29, 32 & 33  
a W. Oak 14 in dia. bears at 46° E 5 lbs dist,  
& a Dr. 12 " " " S 31° W 30 " "  
Land in barrens poor sandy soil  
& the timber is W & B Oak & the prairie  
is poor & marshy coarse grass flags &c,

East On Random between sec. 28 & 33  
42.50 Entered a marsh prairie cor. at 4<sup>th</sup>.

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind 9

6.51	
52.00	Entered canopy
80.40	To the E. line of sec. 60 blk. N. of post, Land in canopy open level & 3 <sup>rd</sup> rate & the timber is W & B Oak prairie is mainly & 3 <sup>rd</sup> rate. gth. grass flapsky,
West	Correct the line between sec. 28 & 33
11.60	To a W. Oak 12 in dia. in the line,
40.20	Set the post on sec. 1, cor. post from wh. a W. Oak 10 in dia. bears N 57 E 31 blk. & a Do. 12 " " " 188 E 74 "
80.40	To the sections corner,
North	Between sections 28 & 29
18.32	To a B. Oak 12 in dia. in the line,
40.00	Set the 2 <sup>nd</sup> sec. cor. post from wh. a W. Oak 30 in dia. bears N 58 W 74 blk. & a Do. 12 " " " 185 W 81 "
80.00	Set a post on the sec. 20, 21, 28 & 29. a W. Oak 18 in dia. bears N 7 E 26 blk. & a Do. 10 " " " N 16 E 278 "
	Land is open canopy & 3 <sup>rd</sup> rate & the timber is W. & B. Oak &c —
East	On Random between sec. 21 & 28,
30.00	Enter a dry prairie
47.50	" canopy
80.41	To the E. line of sec. 50 blk. N. of post, Land in canopy open & level sandy soil 3 <sup>rd</sup> rate, & the timber is W & B Oak prairie dry 3 <sup>rd</sup> rate & high red top grass.
West	Correct the line between sec. 21 & 28
25.00	To a W. Oak 12 in dia. in the line,

316

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6.00  
40.20 Set the gr. sec. cor. post in a mound  
80.41 To the sections corner,

North Between sections 20 & 21  
33.00 Entered a marsh prairie.  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 10 in. dia. bears N 62 E 85 M,  
+ a Do. 6 " " " S 53 E 116 "  
80.00 Set a post cor. to sec. 16, 19, 20 & 21,  
a B. Oak 20 in. dia. bears S 84 E 52 M,  
+ a W. Oak 24 " " " N 83 E 52 M.  
Land in barrens open level third rate  
& the timber is W. & B. Oak, prairie is  
marshy sec. rate fine red top grass,

East On Random between sec. 16 & 21  
5.00 To open barrens  
8.00 " " marsh prairie  
31.50 " barrens  
44.00 " Marsh prairie  
69.50 " Open barrens  
80.16 " the E. line of sec. 39 M. N. of post,  
Land in barrens open level & third rate  
& the timber is W. & B. Oak, prairie is  
marshy, sec. rate & fine red top grass  
& crops &

West Correct the line between sec. 16 & 21  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 12 in. dia. bears N 76 E 46 M.  
+ a B. Oak 14 " " " S 19 W 14 "  
80.16 To the sections corner,

North Between sections 16 & 19.



T. 31 N. R. 4 W. 3<sup>rd</sup> Mer. Ind.

6. L.	
19.00	Enter canopy
40.00	Set the 2 <sup>nd</sup> sec. cor. post from which a W. Oak 18 in. dia. bears N 87 E 86. M. dia.
	& a Do. 8 " " " N 44 E 77 " "
43.00	Enter a marsh prairie
66.00	Enter canopy
80.00	Set a post cor. to sec. 8, 9, 16 & 17 a B. Oak 24 in. dia. bears S 85 E 32.5 M. & a W. Oak 12 " " " N 77 E 310 "
	Land in canopy open level & 3 <sup>rd</sup> rate & the timber is same as before, prairie is marshy & third rate & fine red top grass & spot-dark
East	On Random between sections 9 & 16
30.50	Enter a marsh prairie
56.00	" canopy
80.21	To the E. line of sec. 6 & 14. N. of post Land in canopy open & gently rolling sandy soil 3 <sup>rd</sup> rate, & the timber is W. & B. Oak. prairie is marshy & third rate & fine red top grass & shatter dark
West	Correct the line between sec. 9 & 16
40.10	Set the gr. sec. cor. post in mound
80.21	To the section corner, Oct. 6 <sup>th</sup> 1834,
North	Between sections 8 & 9
13.49	To a W. Oak 10 in. dia. in the line,
40.00	Set the 2 <sup>nd</sup> sec. cor. post from which a W. Oak 6 in. dia. bears S 66 E 16 M. dia. & & a Do. 10 " " " N 86 W 23 " "
63.35	To a Do. 10 " " in the line,
75.24	" a B. Oak 10 " " " "
80.00	Set a post cor. to sec. 4, 5, 8 & 9,

T. 31 N. R. 4 W. 2<sup>nd</sup>. New. Ind.<sup>a</sup>

318

C. L.  
a B. Oak 8 in. dia. bears N 43 W 1.86 M.  
4 a W. Oak 10 " " " N 25 E 328 "  
Land in heavy open level poor & sandy  
soil, & the timber is W & B. Oak &c.

East On Randome between sections 4 & 9  
48.50 Enter a marshy prairie  
80.24 To the E. line of sec. 45 M. N. of post,  
Land in heavy gently rolling poor &  
sandy soil, & the timber is W. & B. Oak  
& the prairie is marshy 3<sup>rd</sup> rate. low &  
red top grass & flag weed &c

West Correct the line between Sec. 4 & 9  
34.24 To a B. Oak 12 in. dia. in the line,  
40.12 Set the gr. sec. cor. post from which  
a B. Oak 10 in. dia. bears S 36 E 18 M.,  
4 a Do. 12 " " " S 78 W 19 "  
69.75 To a B. Oak 12 " " in the line,  
80.24 " the sections corner,

North Between sections 4 & 5  
13.50 To the E. point of wet prairie  
20.00 Enter heavy  
22.29 To a B. Oak 10 in. dia. in the line  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 18 in. dia. bears N 22 E 76 M. N. of post,  
4 a Do. 14 " " " N 12 W 96 " "  
56.95 To a B. Oak 18 " " in the line,  
58.00 Enter a wet prairie  
80.77 To the N. boundary, 47 M. W. of post,  
where set post cor. to sec. 32 & 33 in  
T. 32 N. R. 4 W. & set post cor. sec. 4 & 5  
where raise a mound.

T. 31 N. R. 4 W. 2<sup>d</sup>. Sec. 2<sup>d</sup>.

On S. Land in heavy open level & 3<sup>d</sup> rate & the timber is W. & B. Oak. & prairie is wet & saturated & low red top grass.

## North Between sections 31 &amp; 32

40.00 Set the gr. sec. cor. post from which a B. Oak 6 in. dia. bears S 65° W 30 lbs. 10 ft. & a No. 10 " " " N 43° E 54 " "

50.55 To a B. Oak 18 " " in the line,

65.00 Entered a marsh prairie

80.00 Set a post cor. to sec. 29, 30, 31 & 32, in marsh where raised a mound, Land in heavy open & level & 3<sup>d</sup> rate & the timber is W. & B. Oak. prairie is marshy poor, soil. fine red top grass & small rushes & flag weed in it,

## East On Random between sec. 29 &amp; 32

24.00 Enter heavy

54.00 Enter a marshy prairie

80.00 Enter heavy

81.62 To the E. line of sec. 5 lbs. S. of post, Land in heavy open & level & 2<sup>d</sup> rate & the soil. timber. W. & B. Oak. prairie is marshy & saturated & high coarse red top grass & flag weed & etc

## West Correct the line between sec. 29 &amp; 32

40.81 Set the gr. sec. cor. post from which a B. Oak 12 in. dia. bears N 57° W 99 lbs. & a No. 10 " " " S 44° E 129 "

55.00 To a W. Oak 12 " " in the line,

81.62 To the sections corner,

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer, Ind<sup>a</sup>

6.50	West	On Random between sections 30 & 31
14.00		To the N. point of banner
19.00		Entered a dry prairie
38.00		To a waggon Road to Mich. city road & N.
68.50		To open banners
82.20		To the W. boundary of Town 97 N. S. of post. Took bearings of sec. 30 & 31 a B. Oak 18 in dia. bears N 66 E 193 M, & a Do. 20 " " " N 43 E 247 "
		Land in banners open level & 2 <sup>nd</sup> rate & the timber is W. & B. Oak, Dry prairie 1 <sup>st</sup> rate short sage grass marsh prairie 2 <sup>nd</sup> rate & the timber is coarse red top grass & flagweed &c

East	Correct the line between sec. 30 & 31
13.60	To a B. Oak 20 in dia. in the line.
42.20	Set the gr. rec. cor. post from which a B. Oak 20 in dia. bears N 28 E to 321 M.
82.20	To the section corner, (no other -

North	Between sections 29 & 30
5.50	Entered banners
35.25	To a B. Oak 12 in dia. in the line,
36.00	Entered a marsh prairie
40.00	Set the gr. rec. cor. post from wh. a B. Oak 14 in dia. bears N 47 W 412 M. & a W. Oak 8 " " " N 15 E 410 "
70.00	To open banners
80.00	Set a post corner to sec. 19, 20, 29 & 30, a W. Oak 14 in dia. bears N 12 E 11 M. 9 in dia. & a Do. 12 " " " N 25 W 72 " "
	Land in banners open level 2 <sup>nd</sup> rate & the timber is W. & B. Oak & the prairie



T. 31 N. R. 4 W. 3<sup>rd</sup> Mer. Ind<sup>y</sup>

C. L. is manky & third rate & the growth upon it is coarse red top grass, flax etc.,

East On Random between sections 20 & 29  
 35.00 Enter a dry prairie  
 79.00 Enter open barrens  
 81.24 To the E. line of sec. 25 1/4 mi. S. of port  
 Land in barrens & open level & 2<sup>nd</sup> rate  
 & the timber is W. & B. Oak & the prairie  
 is dry & level 2<sup>nd</sup> rate sage grass,

West Correct the line between sec. 20 & 29  
 40.62 Set the gr. sec. cor. post from wh,  
 a B. Oak 12 in. dia. bears N 76° W 192 ft.,  
 81.24 To the section's corner, Oct. 5<sup>th</sup> 1834,  
 no other,

West On Random between sec. 19 & 30  
 3.50 Enter a mank prairie  
 26.00 " open barrens  
 33.00 " wet prairie  
 54.50 " open barrens  
 60.00 To Waggon Road to Michigan city cor. st.  
 76.50 " mank prairie cor. N & S.  
 82.50 Enter barrens  
 82.90 To W. boundy, 24 1/4 mi. S. of port.  
 Took bearings for sec. 19 & 30. (no other)  
 a B. Oak 18 in. dia. bears N 61° E 18 ft. dist. r.  
 Land in barrens open level & third rate &  
 the timber is W. & B. Oak wet prairie is  
 2<sup>nd</sup> rate, manky poor & loamy soil & the  
 growth is coarse red top grass flax etc -  
 dock & flax weed, water 4 in. deep

East Correct the line between sec. 19 & 30

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

Co. L.  
42.90 Set the gr. sec. cor. post in sod mound  
82.90 To the section corner,

North Between sections 19 & 20,  
20.96 To a B. Oak 8 in. dia. in the line,  
23.00 Enter a marsh prairie  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 10 in. dia. bears N 30 W 185 M.,  
4a Do. 6 " " " N 39 W 400 "  
43.50 Enter barrens  
61.88 To a B. Oak 12 in. dia. in the line,  
74.98 " " W. Oak 18 " " " " "  
80.00 Set a post cor. to sec. 17, 18, 19 & 20,  
a W. Oak 30 in. dia. bears N 89 E 9 M.,  
4a Do. 12 " " " S 29 W 29 "  
Land in barrens open & level & 3<sup>rd</sup> rate  
& the timber is same as before & the  
prairie is marshy & rec<sup>d</sup> rate & fine grass

East On Random between sections 19 & 20  
36.00 Enter a marsh prairie  
52.00 " open barrens  
65.00 " marsh prairie  
81.32 " the E. line of sec. 22 M. N. of  
post. Land in barrens gently rolling  
poor sandy soil & the timber is W. Oak  
prairie is marshy rec<sup>d</sup> rate low red top,

West Connect the line between sec. 19 & 20  
40.66 Set the 2<sup>nd</sup> sec. cor. post from which  
a B. Oak 6 in. dia. bears S 58 W 181 M.,  
4a Do. 10 " " " S 57 W 192 "  
65.00 To a B. Oak 20 " " in the line,  
81.32 " the section corner,

T. 31 N. R. 4 W. 2<sup>nd</sup> New. Red<sup>o</sup>

Co. L, West	On Random between sections 18 & 19.
25.88	To a wagon road to Mich. city cor. ct,
43.00	" a marsh prairie cor. N & S,
77.00	" open barrens (Var. 7 <sup>th</sup> 10 <sup>th</sup> E.)
82.81	" the W. boundary, 10 M. N. of pt., Land in barrens open & level & 3 <sup>rd</sup> rate & the timber is W & B Oak & the N. E. is Oak bushes. the marsh prairie & separate Fred top grass, over it,
East	Correct the line between sec 18 & 19
42.81	set the gr. sec. cor. post from which a W. Oak 18 in dia. bears N 56° W 23 M, & a Do. 12 " " " N 46° 33 "
67.80	To a W. Oak 18 " " in the line,
82.81	" the section corner, <u>note</u> . The reduction of variation was made in consequence of the random line previously run, intersecting the W. boundary at too great a distance S. to take down objects intersected so as to cooperate with the true line, -
North	Between sections 17 & 18,
10.00	To a W. Oak 30 in dia. in the line,
20.95	" " B. Oak 12 " " " "
36.30	" " B. Oak 14 " " " "
40.00	Set a gr. sec. cor. post from which a W. Oak 12 in dia. bears S 50° E 19 M. dia. & a B. Oak 18 " " " N 75° W 69 " "
68.00	To a wet prairie
75.00	To 50 M. small B. Oak grove
80.00	set a post cor. to sec. 7, 8, 17 & 18 a B. Oak 12 in dia. bears S 76° 26' 14 M.

324

T. 31 N. R. 14 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.	To a B. Oak 18 in. dia. bearing S 17 E 29 1/2 M. Land in bearing open level & 3 <sup>rd</sup> rate & the timber is W. & B. Oak, & the prairie is wet sec <sup>2</sup> rate fine red top grass.
East 10.50 80.81	On Random between sections 8 & 17 To bearing To the E. line of sec. 31 M. N. of post. Land in bearing open level & third rate & the timber is W & B Oak the prairie is wet & sec <sup>2</sup> rate high red top grass, &
West 35.00 40.40 80.81	Correct the line between sec. 8 & 17 To a B. Oak 18 in. dia. bearing in the line set the gr. sec. cor. post from which a W. Oak 12 in. dia. bears S 42 W 65 M. & a B. Oak 7 " " " S 70 W 80 " To the section corner,
West 13.50 60.00 82.10	On Random between Secs 7 & 18 Entered bearing To wagon Road to Mich. city N. W 4 <sup>th</sup> To the NW. corner 62 M. S. of post, no bearings E. of line, Land in bearing open level & 3 <sup>rd</sup> rate & the timber is W. & B. Oak & the prairie is wet & sec <sup>2</sup> rate & fine red top grass,
East 30.00 42.10	Correct the line between sec. 7 & 18. To a B. Oak 14 in. dia. in the line, set the gr. sec. cor. post from which a B. Oak 14 in. dia. bears N 41 W 34 M. & a W. Oak 12 " " " N 49 W 61 "



T. 31 N. R. 4 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>

6. S. 67.87 82.10	To a W. Oak 8 in dia. in the line " the section cor.
North 8.00 19.82 21.31 37.00 40.00 79.00 80.00	Between sections 7 & 8 Enter barrens To a W Oak 12 in dia. in line " " Do, 18 " " " Enter a marsh prairie Set the gr. sec. cor. post from which a W Oak 8 in dia. bears S 23 E 387 ft., La B Oak 8 " " S 28 E 386 " Enter barrens Set the post cor. to sec. 5 & 6. 7 & 8, a B Oak 20 in dia. bears N 74 W 41 ft., La W Oak 12 " " N 40 W 80 " Land in barrens open level & 3 <sup>d</sup> rate & the timber is W & B Oak & wet prairie 2 <sup>d</sup> rate, & marshy prairie 3 <sup>d</sup> rate & grass meadows & cotton rod Oct 8 <sup>th</sup> 1834
East 75 79.50 81.00	On Random between sections 5 & 8, Enter a marshy prairie Enter open barrens To the E. line of sec. 40 ft. N. & P. post. Land in barrens 3 <sup>d</sup> rate & the timber is W & B Oak & the prairie is marshy poor & the soil is fine red top gray clay and spotted dark,
West 40.50 81.00	Correct the line between sec. 5 & 8, Set the gr. sec. cor. post in rod mound To the sections corner,
West	On Random between sec. 6 & 7

T. 31 N. R. 4 W. 2<sup>nd</sup>. New, Ind.

C. E.	
8.00	Enter a wet prairie
20.00	" barrens
30.00	" a wet prairie
81.99	To the West boundary, 100 Yds. S. of post, Land in barrens is gently rolling & third rate & the timber is same as before. prairie is wet & 1 <sup>st</sup> rate, high red top grass. & standing water,
East	Correct the line between Secs. 6 & 7
44.99	Set the gr. sec. cor. post in a mound
55.00	To a B. Oak 12 in. dia. in the line,
81.99	To the section corner,
North	Between sections 5 & 6,
6.42	To a B. Oak 14 in. dia. in the line,
15.00	" the E. end of a wet prairie
27.50	Enter barrens
31.00	" a marshy prairie
40.00	Set the gr. sec. cor. post in a mound where raise a mound
69.50	Enter barrens
80.99	To the N. boundary, 220 Yds. W. of post where set a post cor. to sec. 5 & 6, a B. Oak 14 in. dia. bears S 52 E 57 Yds. dist. & a W. Oak 8 " " S 25 W 79 " " Land in barrens open level & 3 <sup>rd</sup> rate & the timber is W. & B. Oak. prairie is a mostly poor soil & fine red top grass, & spatter, droop. water standing 6 in deep, October 9 <sup>th</sup> 1834 - General description
The face of the country has	

T. 31 N. R. 4 W. 2<sup>nd</sup>. Mer. Ind<sup>a</sup>,

The face of the country has a level appearance  
The timbered land is open level heavy  
poor sandy soil, producing scarcely any  
prod. g<sup>o</sup>th. or herbage - The timber is W. & B,  
Oak. The prairies are wet & marshy - poor  
soil. & the growth thereon red top grass  
flagweed & spatter dock & the water is  
from 6 to 18 inches in depth & stagnant,

I hereby certify that in pursuance of  
a contract with Mr. L. Williams, Sur. Gen<sup>l</sup>,  
of the United States, for the states of  
Ohio Indiana & Michigan Territory,  
dated 26<sup>th</sup> of February, 1834 & in strict  
conformity to the laws of the United States  
& the instructions of said sur. Gen<sup>l</sup>, I have  
surveyed & subdivided into sections T. 31 N,  
Range 4 W. 2<sup>nd</sup> Mer. in Indiana: & I do  
further certify that the foregoing are  
the true & original field notes of  
said survey & subdivision, Executed as  
aforesaid. Certified - day of - 1834

A. C. Vannep, Dep. Surveyor  
Henry Blanning & Robert Dear Chasmen,  
James Shepherd. Markers.

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

328

I certify that the foregoing transcript  
of field-notes of Town 31 North of  
Range 4 West 2<sup>nd</sup> Mer. in the state of  
Indiana, has been compared with  
the original in this office & found  
to be correct.

E. S. Haines  
Sur. Genl.

Surveyor General's office,  
Cincinnati, May 16<sup>th</sup> 1842.

Sur. Genl.  
Sur. Genl.